SLIVINSKIY, A.I.

The over-all mechanization of operations in industrial construction. Prom. stroi. 37 no.9:38-42 S '59. (MIRA 13:1)

1. Zamestitel predsedatelya Dnepropetrovskogo sovnarkhoza.
(Building machinery) (Factories--Design and construction)

KHUDOSOVTSEV, N.M.; IVANOVSKIY, G.I.; SHIL'DKROT, M.A.; SLIVINSKIY, A.I., inzh.; KASHUBA, V.A.

Contribution of construction workers to the creation of a material and technical foundation for communism. Prom. stroi. 39 no.9: 10-29 '61.


1. Predsedatel Luganskogo sovnarkhoza (for Khudosovtsev). 2.
Predsedatel Zaporozhskogo sovnarkhoza (for Ivanovskiy). 3. Zamestitel predsedatelya Sverdlovskogo sovnarkhoza (for Shil'dkrot).
4. Zamestitel predsedatelya Dnepropetrovskogo sovnarkhoza (for
Slivinskiy). 5. Zamestitel predsedatelya sovnarkhoza Altayskogo
kraya (for Kashuba).

(Industrial buildings) (Construction industry)

SLIVINSKIY, A.I. Standardization in the construction industry. Standartizatsiia (MIRA 17:12)

1. Zamestitel' predsedatelya Gosstroya SSSR.

28 no.10:23-25 0 '64.



507/72-58-10-14/18

AUTHORS:

Veklich, P. M., Slivinskiy, I. G.,

Yurkov, L. F.

TITLE:

Heating Stove for Glass Parts of Electronic Fluorescent Tubes (Nagrevatel'naya pech' dlya steklyannykh detaley

elektronno-luchevykh trubok)

PERIODICAL:

Steklo i keramika, 1958, Nr 10, pp 44-45 (USSR)

ABSTRACT:

The authors of this article constructed some gas stoves for these parts at the Moskovskiy elektrolampovyy zavod (Moscow Incandescent Bulb Factory). The stoves were built for the heating of cones and shades prior to their welding. Such a stove (Fig 1) has two muffle channels, a lower and an upper one. The heating surfaces of the muffle channels are produced of carborundum plates of the dimensions 303 x 343 mm. The construction makes it possible to heat the parts to be welded sufficiently quickly, and also to carry out repair work of the muffle without putting the stove to pieces. The waste gases from the lower muffle are directed into the upper one; they heat the latter and then are sucked off by a fan. To improve the temperature control the muffle channels are separated into 5 individual sections by walls.

Card 1/2

507/72-58-10-14/18

Heating Stove for Glass Parts of Electronic Fluorescent Tubes

The parts to be heated move continuously in the operation chamber of the stove on a conveyer belt. The heating cycle may be adjusted within 10 to 30 minutes at a length of the operation chamber of the stove of 10 m; this is done by controlling the velocity of the conveyer belt. The stove temperature conditions are controlled by means of thermocouples. From figure 2 the course of the temperature in the stove may be seen. This simple construction makes it possible to the glass factories to produce them by themselves. There are 2 figures.

ASSOCIATION: Moskovskiy elektrolampovyy zavod (Moscow Incandescent Bulb Factory)

Card 2/2

AUTHORS:

Slivinskiy, I. G.,

Braurman, Ye. G.

SOV/72-58-10-15/18

TITLE:

Producing Ceramic Jets for the AGT Machines by the Pneumatic Stamping Method (Izgotovleniye keramicheskikh mundshtukov dlya mashin AGT metodom pnevmaticheskogo trambovaniya)

PERIODICAL:

Steklo i keranika, 1958, Nr 10, pp 46-47 (USSR)

ABSTRACT:

At the stekolinyy tsekh Moskovskogo elektrolampovogo zavoda (Glass Department of the Moscow Incandescent Bulb Factory) the technical process of the production of jets in metal molds consisting of two parts was developed (Fig 1). The preparation of the batch is described in detail. The stamping of the mass is carried out by means of an air hammer of the type TP-1. The raw jets are dried in the course of 6 - 7 days at room temperature. The burning cycle lasts 8 days according to the temperature curve given in figure 2. The stay time at the maximum temperature of 1300 is 12 - 14 hours. The burned jets (Fig 3) are processed on a lathe (Fig 4). To increase their glass stability the jets processed are covered with a mass the composition of which

Card 1/2

is given; it dries at room temperature within 12 hours.
After polishing with emery paper the jets are another time

50V/72-58-10-15/18 Froducing Ceramic Jets for the AFT Machines by the Pneumatic Stamping Method

burned at the maximum temperature of 1300°. The jets produced by this way have a shrinkage of 1,5 - 2%, instead of the usual 10 - 12%. The indices of the water absorption and the porosity of the jets may be seen from the table given. The time required for the production was reduced to 18 - 20 days (hitherto 1,5 - 2 months). There are 4 figures and 1 table.

table

ASSOCIATION: Moskovskiy elektrolampovyy zavod (Moscow Incandescent Bulb Factory)

Card 2/2

member changes obsides to cargoticisatory prospelicatory prospelicatory provides to previously as a procession case in the case of the case in the case in the case of the case in the case in the case of the case in the case in the case of the case in the cas	FRASE I BOOK EXPLOSIVATION SOV/2254	obmo-teinicheatoys obabchestvo enstgetichastoy promyahlennosti Mostowatoys Previeniya	Molivermatys game w promythlemyth pechath; kotalinyth matacortath g. Breath a Beatoralory oblast; materialy Moliverlory machine-technic beats seventhements. Fortilatello of Gam in Industrial Pursues and Boller Dute in Money and Money Gallerial Materials of the Money Gallerials and Published Ontermos) Money General Score Scientific and Seseried, 5,000 ontermos) Money, Generalizatello and Seseried, 5,000 ontermos Money.	ical Sciences; Exec. Ed.; E. L.	FUNDOM: This collection of articles is intended for specialists angujed in designing and operating gas units of industrial enterprises and electric pewer plants.	OVIDIME: The change-over in some influential enterprises from solid and liquid fust to metural gas is discussed and further possibilities activiting along the line are carmined. Assurances of using metural gas as a source of source of any entitied. Different gas human systems, defines for enterative control* of the combatton process, structural features of furness operating on patural.	(40) gas-supply systems and the introduction of eafery seamwes in the construction and operation of gas units are described. The book contains and disgrams of gas-supply systems and equipment. Bo personalities are newticoned, One stations is followed by references.		3 Troppects for Burnlets Moscos Industrial	١.	We state that the state of the		Antomatic Regulation of Gas Combustion 69	the Machinery-manufacturing Industry 97	Communition of Matural das in Electric Power Stations of R.	. Utilisation of Babural One at Glass 134	Experience in Uning Ges for Shatry With the Utilisation of 146	¥		of Machinery.	(4)	)	
		Beschno-taknicheskoye obshchastvo ensi i prevlenjye	Impal'sormalys game w promythlemoyth; is blockery if incidentally anterior oblast; meter sormatheatty (Petillastion of Game is income and income Oblast; is the thinking for forest the sormal process (Oblasti; is the thinking for forest the sormal process, don't branch is lockery, don't blockery, don't	Mai D. D. Quaburg, Doctor of Techni Stepanobenko, Tech. Ed.; A. S. Po	PUNDER: This collection of articles designing and operating gas units or plants.	OVELAKE: The change-over in some lad field to materal gas is discussed an table line are eracified, Advantages are orthined, Different gas burner eff the combastion process, exterior	Ges, ges-supply systems and the int construction and operation of gas u way diagrams of gas-supply systems mentioned. One article is followed	SAME OF CONTENTES	Fraction Enloyerith, I. M. Present State and P.	Mittagriess and Kledtric Power Station Delectment Te. 1. Development of the 1 1005 Farred and the fermal of the 1	Straitteov, H. H., A. I. Malousov, H. P. Metrork for Supplying Gas to Industrial	Stoyunds, G. P. das Burners for Boller 2. / Wes Moscow fown das	" Vigiorphik, D. Ya. Automatic Bagmiatic	Livrin, G. To. Bodern Gas Purnaces in the Machinery-samilacturing industry	the Hotenergo System	Charles P. P., and I. S. Birmanit.	Garodov, R. I., and B. M. Chertinshiy, IMMairial Processes in the Yextile in Secondary Sources of Rest	Missipas, BI. Practices and Prospects for Using Gas in Exterprises of the Resow Building Materials Industry	Arramov, G. A. Specific Peatures of the Utilisation of Geneous Park Me Ticktrical Teams Induity and the Difference in Methods of Deing Manchottred Ges and Metural Ges	Baik, 8, Ye. Treads is Developing Gas Utilisation is Purnaces Semiforturing Plants	Oard 3/A		•

OSHCHIPKOV, F.P.; FROLOV, V.K.; Prinimali uchastiye: SAVKINA, G.A., inzh.; LYAKHOVETSKAYA, M.A., inzh.; SLIVINSKIY, I.G., inzh.; PARASHINA, Z.V., tekhnik; MIRIFOROVA, Z.V., tekhnik

Founding of ZS-4 glass in pot furnaces. Stek. i ker. 18 no.7:5-8 Jl '61. (MIRA 14:7)

IN-DIN-SIN, V.A.; SLIVINSKIY, I.G.; YURKOV, L.F.

Improving working conditions in the hand working section. Stek.
i ker. 18 no.9:36-37 S '61. (MIRA 14:10)

(Glass manufacture—Hygienic aspects)

The section of the se

NOVIKOV, M.D.; SLIVINSKIY, I.G.; YURKOV, L.F.

Mechanization of draining and granulating melted glass when stopping a pot furnace for repair. Stek.i ker. 20 no.2:35 (MIRA 16:2) F '63.

l. Moskovskiy elektrolampovyy zavod. (Glass furnaces)

GAMZBURG, B.B., dektor takhm. mank [deceased]; RAPOPCRT, A.Ya., inzh.;
SLIVINSKIY, I.G., inzh.; YURKGV, L.F., inzh.; EL'KIN, G.B., inzh.

Inwestigating processes of manufacturing high-lead glass.
Stek. i ker. 22 no.12:9-11 D '65.

(MIRA 18:12)

ADRIANOV, P.K.; AMDRIANOV, S.M.; BEREZIKOV, B.S.; GOLOVKO, V.G. [Holovko, V.H.]; DOBROVOL'SKIY, A.V. [Doborovol's'kyi, A.V.]; DOVGAL', M.F. [Dovhal', M.F.]; YELIZAROV, V.D. [IElizarov, V.D.]; ZHIZDRINSKIY, V.M. [Zhyzdryns'kyi, V.M.]; ZVENIGORODSKIY, O.M. [Zvenigorods'kyi, O.M.]; ZAYCHENKO, R.M. [Zaichenko, R.M.]; IVANEHKO, Ye.I. [Ivanenko, II.]; KOMAR, A.M.; KOS'YANOV, O.M.; KAZAKOV, O.I.; KOSENKO, S.K.; KLIMENKO, T.A.; KIR'YAKOV, O.P.; KALISHUK, O.I.; LELICHENKO, M.T.; LEBEDICH, M.V.; MIKHAYLOV, V.O. [Mykhailov, V.O.]; MOROZ, I.I.; MOSHCHIL', V.Yu. [Moshchil', V.IU.]; NEPOROZHNIY, P.S. [Neporozhnii, P.S.]; NEZDATNIY, S.M. [Nezdatnyi, S.M.]; NOVIKOV, V.I.; POLEVOY, S.K. [Polevoi, S.K.]; PEREKHREST, M.S.; PUZIK, O.Ye. [Puzik, O.E.]; RADIN, K.S.; SLIVINSKIY, O.I. [Slivins'kyi, O.I.]; STANISLAVSKIY, A.I. [Stanislavs'kyi, A.I.]; USPENSKIY, V.P. [Uspens'kyi, V.P.]; KHORKHOT, O.Ya.; KHILYUK, F.P.; TSAPENKO, M.P.; SHVETS, V.I.; MAL'CHEVSKIY, V. [Mal'chevs'kyi, V.], red.; ZELENKOVA, Ye. [Zelenkova, E.], tekhn.red.

[The Ukraine builds] Ukraina buduie. Kyiv, Derzh.vyd-vo lit-ry z budivnytstva i arkhit., 1957. 221 p. (MIRA 11:5) (Ukraine--Construction industry)

507/130-30-11-6/21

AUTHORS:

Roguda, A.P. Ryubikova, A.P.

Shiring it P.M.

TITLE:

Investigation of the Quality of Lead-Refining Kettle Metal (Issledovaniye kachestva metalla kotlov dlya

rafinirovaniya svintsa)

PERIODICAL: Tavetayye Metally, 1958, Nr 11, pp 32-36 (USSR)

ABSTRACT:

Lead-refining bettles supplied to the "Ukrtsink" Works by the Dnepropetrovskiy 26vod metallurgicheskogo

contradovaniya (Dnepropetrovak metallurgical-equipment Works) have proved unsatisfactory in service. The enthors describe the investigation of the macro- and micro-structures and non-metallic inclusions of steel from 100 tomme bettles (fig.1) which are made of type 25 steel (decxidised with ferro-manganese, ferrosilicon

and aluminium) and supplied without heat treatment. The samples covered the range 0.24% C: 0.54% - 0.70% Mn; 0.025 - 0.04% S: 0.011 - 0.026% P; 0.19 - 0.44% Si.

1 coarse, uneven structure with non-metallic inclusions and other defects here revealed. The authors also

Card 1/3

S0V/136-53-11-5/21

Investigation of the Caulity of Leud-Refining Kettle Metal

carried out experiments using different casting methods and a steel of about the above composition but containing 0.046% Ti, ferrotitanium being used in place of aluminium for final deoxidation: they recommend a steel of the following composition:
0.20 - 0.25% C, up to 0.25% Si, 0.4 - 0.6% Mm, over (sic)
0.04% S, not over 0.04% P, 0.08 - 0.15% Ti. The extra expense of using titanium-containing steel is recouped by longer bettle life and reduced lead losses, a further improvement in life being attainable by making the tops corrugated. The authors also make the following suggestions: bettles should be cast bottom up from steel at a good heat which has been deoxidised

Card 2/3

507/136-53-11-6/21

Investigation of the Quality of Lead-Refining Kettle Metal by 4-5 kg of ferrotitanium per tonne of steel with the minimum of aluminium. There are 6 figures.

ASSOCIATION: Laved im. Frunze (Plant imeni Frunze)

Card 3/3

#### CIA-RDP86-00513R001651320017-5 "APPROVED FOR RELEASE: 08/25/2000

A CONTROL OF THE CONT

KOZLOVSKIY, P.S., inzh.; SLIVINSKIY, V.V., inzh. Eliminate defects in the standard plan of an alternatingcurrent traction substation. Transp.stroi. 12 no.7:44-45 (MIRA 16:2)

Jl 162.

(Electric substations) (Railroads-Electrification)

KOZLOVSKIY, P.S., inzh.; SLIVINSKIY, V.V., inzh.

Special features of alternating current electrification of a part of the Odessa Road. Transp. stroi. 13 no.5:9-12 My '63.

(MIRA 16:7)

(Railroads—Electrification)

SHIVINSKIY, V.V., inch.

Nomenclature of tarts produced by electromechanical plants.

Transp. stroi. 14 no.9s60-61 S 164 (MIRA 1881)

SLIVING IV, V. ., inch.; TARAKANOV, O.D., inch.

Systems of exterior electric power supply for traction substations.

Transp. stroi. 15 no.5:9-10 My '65.

(MIRA 18:7)

SLIVINSKIY, V.V., inzh,; TARAKANOV, O.D., inzh.

Longitudinal electric power supply for areas electrified by alternating current. Transp. stroi. 15 no.11:8-10 N '65. (MIRA 18:11)

SLIVINSKIY, VÆ.

22928 K teorii analiticheskikh funktsiy obobshchemnogo kompleksnogo peremennogo. Sbornik nauch. Trudoy (Tashk. In-t inshenerov sh.-D. transporta), Vyp. 2, 1949, C. 200-11


SO: LETOPIS' NO. 31, 1949


USSR/Mathematics - Functions 21 May 50
Matrices


"Analytic Functions of the Zolotarev-Krylov
Variables," V. Ye. Slivinskiy, Tashkent Inst RR
Transport Engineers.

"Dok Ak Nauk SSSR" Vol LXXII, No 3, pp 465-468

Considers analytic functions in variables of form:
a<sub>0</sub> + a<sub>1</sub>1 + a<sub>2</sub>1<sup>2</sup> + ··· + a<sub>n-1</sub>1<sup>n-1</sup>
where i is root of certain algebraic eq of deg n
(proposed by Krylov). This is generalized to include square matrix X and its characteristic eq.
Submitted 25 Mar 50 by Acad N. M. Krylov.







SLIVITSKAYA, F. R.

Methods for lowering production costs of cement. Stroi.mat. 3 no.3:21(MLRA 10:4)

23 Mr '57.

1.Nauchnyy sotrudnik NIITsementa.
(Cement industries)


BANIT, F.G.; GERSHMAN, M.I.; LEONTENKOV, A.I.; OLEYNIKOVA, N.I.;

PERTSIK, N.G.; PIROTSKIY, V.Z.; SLIVITSKAYA, F.R.;

KHOKHLOV, V.K.; ASTANSKIY, L.Yu., nauchn. red.; TYUTTUNIK,

M.S., red.izd-va; BRUSINA, L.N., tekhn. red.

[Cement industry; its present status and prospects for development] TSementnaia promyshlennost; sostoianie i perspektivy razvitiia. [By] F.G.Banit i dr. Moskva, Gosstroispektivy razvitiia. [By] F.G.Banit i dr. Miri 16:12) izdat, 1963. 258 p. (Cement industries)



L: 9666-66 EWT(1)/EWA(h) SOURCE CODE: UR/0286/65/000/019/0100/0100
ACC 14K! AF 3020372
AUTHORS: Slivitskiy, B. A.; Khludov, A. I.
ORG: none
TITLE: A direct current logarithmic amplifier. Class 42, No. 175316 [announced by Organization of the State Committee on the Use of Atomic Energy (Organizatsiya gosudarstvennogo komiteta po ispol'zovaniyu atomnoy energii]
SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 19, 1965, 100
TOPIC TAGS: amplifier, direct current, linear approximation, automatic regulation
ABSTRACT: This Author Certificate presents a d-c logarithmic amplifier containing an input amplifier stage, modulator, a-c amplifier, and a demodulator. The amplifier is designed to increase the calculation precision and to broaden the logarithmic operation range. The negative feedback circuit contains a linear coximation circuit for the exponential function. The input of this exponential approximation circuit is connected to a clipper circuit for automatically switching the operation mode of the input tube from a linear mode to a logarithmic mode with large values of the input current in the mildly sloping part of the logarithmic characteristic.
SUB CODE: 09/ SUBM DATE: 25Apr6h
UDC: 621.375.024:681.142
Cord 1/1

L 25513-66 EWT(d)/EWP(v)/EWP(k)/EWP(h)/EWP(l)

ACC NR: AR6008996

SOURCE CODE: UR/0271/65/000/010/A066/A066

AUTHOR: Popov, P. I.; Slivitskiy, B. A.

TITLE: Monitoring the correct operation of automatic control systems

SOURCE: Ref. zh. Avtomat. telemekh. i vychisl. tekhn., Abs. 10A513

REF SOURCE: Sb. Nekotoryye vopr. nadezhnosti elementov i sistem avtomatiki. M.,

1964, 47-52

TOPIC TAGS: automatic control system, error measurement, automatic control design, test monitoring

ABSTRACT: The authors consider several methods for monitoring the correct operation of automatic systems. For automatic control systems operating on the principle of eliminating the error signal, an unbalanced relay is described, connected to the input of the actuating element. The relay operates whenever the error signal exceeds a certain value in either direction. A block diagram of an automatic system using a certain value in either direction. A block diagram of an automatic system using this method of monitoring the correct operation is described, based on the use of a limited working signal from a pickup when the regulated parameters do not deviate from the specified value. Variants of the block diagram are proposed such as to ensure stabilization of the limitation level and of the gain of the amplifier in order to maintain the static and the dynamic accuracy of the system. 4 illustrations. Bibliography of 2 titles. L. Sh. [Translation of abstract]

SUB CODE: 13

Card 1/1 YD

UDC: 620.179.1: 621.372

Eradication of sheep dictyocaulosis and strongyloidosis.
Veterinariia 39 no.10:46-47 0 '62. (MIRA 16:6)

1. Nauchno-opytnoye khozyaystvo "Askaniya-Nova", Ukrainskoy SSR. (Hematoda)
(Farasites—Sheep)

SLIVKA, A.R., general-mayor aviatsii, Geroy Sovetskogo Soyuza, voyennyy letchik pervogo klassa; GORISLAVETS, M.V., inzhener-podpolkovnik

Air park day. But what does the flight personnel do? Vest.Vozd.

(MIRA 14:8)

Fl. no.6:52-54 Je '61.

(Airplanes, Military-Maintenance and repair)

SLIVKA, A., general-mayor aviatsii, voyennyy letchik pervogo klassa, Geroy Sovetskogo Soyuza; STRAZHNOV, I., inzh.-polkovnik


Flier thanks the engineer. Av.i kosm. 46 no.6:58-64 Je '63.


(MIRA 16:8)

SLIVKA, Jozef, inz.

Afforestation of waste lands in the Yugoslav Karst. Les cas
10 no. 3:301-308 Mr 164.

1. State Forest Management, Kosice.





SLIVKA, R.O. [Slyvka, R.O.]; GRITSENKO, M.M. [Hrytsenko, M.M.];
SHTOGRIN, S.I. [Shtohryn, S.I.]

Geomorphology and melioration problems of the Dnieper-Pripet interfluve. Dop. ta pov. L'viv. un. no.7 pt.3: 27-30 '57.

(Dnieper Lowland--Physical geography)

(Dnieper Lowland--Physical geography)

RAKOVSKIY, V.Ye.; POZNYAK, V.S.; SLIVKA, Z.M.

Use of sapropel as a cementing substance. Trudy Inst. torf. AN BSSR 9:254-259 '60. (MIRA 14:2)

SLIVKER, Isay Semenovich; SIVASHINSKIY, Vul'f Moiseyevich; ZELEV, Moisey Vasil'yevich; SOSULINA, V.N., redaktor; MEDVEDEVA, L.A., tekhnicheskiy redaktor

[Organizing the procurement of waste products] Organizatsila zagotovki vtorichnogo syr'ia. Moskva, Gos. nauchno-tekhn. izd-vo Ministerstva tekstil'noi promyshl. SSSR, 1956. 125 p. (MIRA 9:8) (Salvage (Waste, etc.))

VASILERKO, V.Ye., REPOMPYASHCHIY, A.S.; SLIVKER, I.S.; CHERTKOV, B.A.; GRAMMATIKOV, V.A., red.; LEVONEVSKAYA, L.G., tekhn.red.

[This will heppen in Leningrad] Rto budet v Leningrade. [Leningrad]

Lenizdat, 1958. 232 p. (MIRA 11:5)

(Leningrad-Description)

SLIVKER, N., inzhener.

Recovering a treasure. Tekh.mol. 23 no.2:24-25 F \* 55. (MIRA 8:4)
(Scrap metal)

Property of the Control of the Contr

POPOV, B.D.; SLIVKER, S.L.; KORZHENEVICH, F.G.; SIZOV, A.A., inzh., red.; KAPLAN, M.Ya., red.izd-va; PUL'KINA, Ye.A., tekhn.red.

[On-the-job training of workers on construction sites; practices of the Main Administration for Housing and Public Construction in the City of Leningrad] Proizvodstvenno-tekhnicheskoe obuchenie rabochikh na stroitel'stve; iz opyta Glavleningradstroia. Leningrad, Gos.izd-vo lit-ry po stroit., arkhit. i stroit.materialam, 1960.

(MIRA 13:6)

(Leningrad--Building trades--Study and teaching)

KARPENKO, A.I. [deceased]. Prinimali uchastiye: SLIVKIN, A.Sh., prepodavatel; RYVIN, V.Ya., prepodavatel; SHAUL'SKIY, F.I., prof., retsenzent; KOSTIN, I.I., kand.tekhn.nauk, retsenzent; KUZNETSOVA, A., prepodavatel; retsenzent; GNEZDILOV, V.B., red.; LANOVSKAYA, M.R., red.izd-va; KLEYNMAN, M.R., tekhn.red.

[Railroad stations of metallurgical plants] Zheleznodorozhnye stantsii metallurgicheskikh predpriiatii. Moskva, Gos.nauchnotekhn.izd-vo lit-ry po chernoi i tavetnoi metallurgii, 1960.
211 p. (MIRA 14:3)

 Leningradskiy tekhnikum promyshlennogo transporta (for Slivkin, Ryvin).
 Denpropetrovskiy industrialinyy tekhnikum (for Kuznetsova). (Railroads, Industrial)

RADUSHKEVICH, V.P., prof.; KOSONOGOV, L.F.; BONDARENKO, V.V.; VASHANTSEV, A.A.; SLIVKIN, A.V.; STARYKH, V.S.

Use of new Soviet ganglionic blocking preparations in surgical practice. Khirurgiia 39 no.7:13-19 Jl. 63 (MIRA 16:12)

1. Iz kafedry gospital\*noy khirurgii (zav. - prof. V.P.Radushkevich) Voronezhskogo meditsinskogo instituta.

SLIVKIH, L.

"Use of Mesters Test to Differentiate Rheumatic Fevers," Klin. Med., 26, Mo. 7, 1948. Mbr., Faculty Therapeutics Clinic, 2nd Khar'kov Med. Inst. -c1948-.

SLIVKIN, L.G.; ORECHKIN, D.B.; OVSYANNIKOV, L.F.

Trioxane extraction from synthesis distillates. Khim. prom. 41 no.10:740-743 0 '65. (MIRA 18:11)

GABRIYEL'YANTS, G.A., glav. red.; AZIZKHANOV, D.A., red.; VENGERSKIY, V.M., red.; YEREMENKO, V.Ye., red.; YERSHOVA, Ye.M., red.; ZININ, T.G., red.; KOVYNEV, N.P., red.; RAKHMANKULOV, M.M., red.; SLIVKIN, LZ., red.; TIKHOMIROV, A.I., red.; YUNUSOV, F.Yu., Geroy Sotsialisticheskogo Truda, red.; AKBAROV, A., red.; BAKHTIYAROV, A., tekhn. red.

[Materials of the Conference of Agricultural Workers of Central Asia, Azerbaijan, and Southern Areas of Kazakhstan] Materialy Soveshchaniya rabotnikov sel'skogo khozyaystva respublik Sredney Azii, Azerbaidzhana i iuzhnykh oblastei Kazakhstana, Tashkent, 1961. Tashkent, Gos. izd-vo Uzbekskoi SSR, 1962. 358 p.(Za rabotu, tovarishchi khlopkoroby!) (MIRA 15:3)

1. Soveshchaniye rabotnikov sel'skogo khozyaystva respublik Sredney Azii, Azerbaydzhana i yuzhnykh oblastey Kazakhstana, Tashkent, 1961. 2. Predsedatel' kolkhoza imeni Karla Marksa Oshskogo rayona Kirgizskoy SSR (for Yunusov).

(Soviet Central Asia—Agricultural workers)
(Azerbaijan—Agricultural workers)
(Kazakhstan—Agricultural workers)

SLIVKIM, S. P.

Oats.

Summer sowing of pats in Siberia for cattle feed. Korm. baza 3 no. 6, 1952.

Monthly List of Russian Accessions, Library of Congress, September 1952. UNCLASSIFIED.

SLIVKINA, K.A., kandidat biologicheskikh nauk.

Poplar borers in forest tracts of Semipalatinsk Province. Trudy Resp

sta.zashch.rast.2:194-235 ' 55.
(Semipalatnisk Province--Borers (Insects)) (Poplar-Diseases and pests)

SLIVKINA, K. A.

"The Poplar 'Clear Wing Noth' [Aegeriidae (Seelidae)] in the Forest Groves of Semipalatinshaya Oblast, Kazakh SSR." Cand Biol Sci, Inst of Zoology, Acad Sci Kazakh SSR, Alma-Ata, 1953. (RZhBiol, No 1, Sep 54)

30: Sum 432, 29 Mar 55

SLIVEINA & d.

AUTHOR:

Vaynshteyn, B.A., and Slivkina, K.A.

26-10-30/44

TITLE:

On Measuring the Protective Properties of Toxic Chemicals (O

mere zashchitnykh svoystv yadokhimikatov)

PERIODICAL:

Priroda, 1957, No 10, pp 112-113 (USSR)

ABSTRACT:

To protect seedlings and young growth from root destroying pests, their seeds or roots are first dusted with DDT or moistened with some toxic substance. The efficiency of the chemicals used is determined by the number of plants damaged by insects. The authors suggest that for exact measurement of the protective properties of such chemicals the "specific damage" be used, i.e., the relation of the percentage of damaged plants to the density of insects (density meaning the number of insects per 1 sq m). Table 1 indicates damage caused to plants in relation to the protective functions of the chemicals used, as developed by the authors.

ASSOCIATION:

Republic Station for the Protection of Plants (Alma-Ata) (Respublikanskaya stantsiya zashchity rasteniy (Alma-Ata))

AVAILABLE:

Library of Congress

Card 1/1

SHEK, G.Kh., kand.sel'skokhoz.nauk; SLIVKINA, K.A., kand.sel'skokhoz.

nauk

Forecasting the development of the gray grain moth in Kazakhstan.

Zashch.rast.ot vred.i bol. 5 no.3:40-42 Mr \*60. (MIRA 16:1)

(Kazakhstan—Grain—Diseases and pests)

(Kazakhstan—Moths)

SHAN 'KO, G.G.; RCGATINSKAYA, F.A.; SLIVKINA, M.V.

Blood serum protein fractions in rheumatic central nervous system diseases in children. Dokl. AN BSSR 8 no.7:481-483 '64.

(MIRA 17:10)

1. Belorusskiy gosudarstvennyy institut usovershenstvovaniya vrachey. Predstavleno akademikom AN ESSR D.A. Markovym.

SLIVKO, A.B.

Case of late auricular liquorrhea following injury to the base of the skull. Zhur. ush., nos. i gorl.bol. 20 no. 3:73-74 My-Je 160. (MIRA 14:4)

l. Iz filiala otorinolaringologicheskoy kliniki na baze l gorodskoy bol'nitsy (zav. - prof. S.F. Letni) Stalinskogo meditsinskogo instituta.

(SKULL-WOUNDS AND INJURIES) (EAR-DISEASES)

SLIVKO, A.B.

Hormone therapy of esophagus burns. Vrach. delo no.6:94-97 Je '61. (MIRA 15:1)

1. Otorinolaringologicheskaya klinika (zaveduyushchiy - prof. S.F. Letnik) Stalinskogo meditsinskogo instituta i Pervaya gorodskaya klinicheskaya bol'nitsa.

(HORMONE THERAPY) (ESOPHAGUS\_DISEASES)

(BURNS AND SCALDS)

Secondary complications of inflammatory diseases of accessory nesal situses. Thure ushe, nose i gore bole 24 no. 1:45-50 Janf 164. (MIRA 16:3)

1. It which belower ukhe, gorla i nosa (ispolayayushchiy obyazannosti zaveduyushchego — B.A. Shaparenko) Donatskogo meditsinskogo instituta.

SLIVKO E.I. RADUTSKIY, M.N.

Reflex effects from the heart on the functional state of spinal cord centers. Vop. fiziol. no.10:72-75 '54 (MLRA 10:5)

1. Kiyevakiy meditainakiy institut, Kafedra normal'noy fiziologii. (CONDITIONED RESPONSE) (HEART -- INNERVATION) (SPINAL CORD)

## SLIVKO, B.I.

V.B.Tomsa, professor of physiology of Kiev University. Fiziol.zhur. (Ukr.) 1 no.4:136-138 J1-Ag '55. (MIRA 9:11)

1. Kiivskiy medichniy institut im. akad. 0.0.Bogomol'tsa, kafedra normal'noi fiziologii i kafedra istorii meditsini.
(TOMSA, VIADIMIR BOHUMIL, 1831-1895)


# SLIVKO, E.I. [Slyvko, E.I.]

Effect of proprioceptive impulses on the fatigue and restoration of the reflex activity of the spinal cord. Fiziol. zhur. [Ukr.] 6 no.3: 321-327 My-Je 160. (MIRA 13:7)

1. Stalinskiy meditsinskiy institut, kafedra normal'noy fiziologii. (SPINAL CORD)

SLIVKO, E.I., Cand. Med. Sci., — (diss) "The effect of an irritant on the proprioceptors of muscles on the processes of fatigue and regeneration in the nerve centers of the spinal cord," Kiev, 1961, 16 pp (Kiev OLRB Medical Institute im A. A. Bogomolets) 200 copies (KI-Supp 9-61, 192)

SOURCE CODE: UR/0239/65/051/006/0681/0685 ACC NR: AP6018174 AUTHOR: Kovtun, S. D.; Slivko, E. J. ORG: Scientific Research Institute of Physiology, State University, Kiev. (Nauchno-issledovatel'skiy institut fiziologii pri Gosudarstvennom universitete) TITLE: Effect of strychnine on the rhythmic activity of a two-neuron reflex arc SOURCE: Fiziologicheskiy zhurnal, v. 51, no. 6, 1965, 681-685 TOPIC TAGS: pharmacology, neuron, reflex activity, cat, neurophysiology ABSTRACT: In experiments conducted on cats, rhythmic electrical irritation of the nerve of the m. quadriceps femoris was carried out after laminectomy in the lumbar region of the spinal cord and the peak potentials were recorded from the central part of the severed VIth anterior lumbar radix and the VIth posterior radix. The reactions of the two-neuron reflex arc were determined at various frequencies of irritation upon intravenous administration of strychnine in amounts of 0.09-0.12 mg/kg, 1.e., in doses too low to produce convulsions. At irritation frequencies < 10 per sec strychnine did not exert any effect on the monosynaptic reflexes or reduce their intensity. At higher frequencies, particularly frequencies > 50 per sec, strychnine stimulated the monosynaptic reflexes. The effect observed can be explained by removal under the action of strychnine of the inhibition that arises in motor neurons upon irritation of afferent nerve fibers of the Ist group. Orig. art. has 2 figures. [JPRS] SUB CODE: 06/ SUBM DATE: 21Apr64/ ORIG REF: 002/ OTH REF: 012 Card 1/1 (\_



118-58-3-9/21

AUTHORS:

Sliz'ko, I.F., and Zorin, L.F., Engineers

TITLE:

The Operating Experience of the DGI and PKF-60 Mining Com-

bines (Opyt raboty kombaynov DGI i PKF-60)

PERIODICAL:

Mekhanizatsiya Trudoyëmkikh i Tyazhelykh Rabot, 1958, # 3,

pp 26-28 (USSR)

ABSTRACT:

In October 1955, the mining combine "DGI-2M", for the driving of drainage levels, was put into operation at the Baydakov mines. This combine was designed by the Dnepropetrovskiy gornyy institut (Dnepropetrovsk Mining Institute) and the Institut gornogo dela akademii nauk Ukrainskoy SSR (Mining Institute of the Ukrainian Academy of Sciences), in cooperation with manufacturers of the Trest Nikopoli-Marganets (Nikopol'-Manganese Trust).

In March 1956, the mining combine "PKF-60", designed by the Konstruktorskiy byuro koksokhimicheskoye mashinostroyeniya chernoy metallurgii (Designing Bureau of the Coke-Chemical Machine Construction Plant of Ferrous Metallurgy)

was tested at the "Aleksandriyskaya" mine No 2.

The main parts of both combines are: 1) the underframe,

Card 1/2

2) the rotary and feed mechanism, 3) the cutting mechanism,

"Posing the Quest Under the Effect	cion of Altera c of Artificia	tions of the Co l Pneumothorax'	, I. M. Slivko	tic Manifestations and P. B. Torkand	vskii (Kie
Vrachebnoe Delo					

SLIVKO, I. M.

USSR/Medicine - Electrotherapy

Mar/Apr 1948

"The Problem of Vascular Modification in the Cerebrum During Plectroconvulsive Attacks," Docent I. M. Slivko, F. L. Ravikovich, Sci Collaborator, Chair of Psychiatry, Kiev Med inst, Kiev Psychoneurol Inst, 2 pp

"Nevropatol i Psikhiat" Vol XVII, No 2


The Blood supply of the eye can be considered the same supply system of the brain. Much detail is left out, however, and authors attempt to establish more exact boundaries for symtoms on which the course of electroconvulsive therapy is based. Submitted 16 apr 1947.

Pa 70T56

SILVEO, I. ...

21.06. Truckle, Va. P.: Slivko, I. F.; i Maruttir, I. A. Diitel'myy (renyvistyy son, clektroshok i clektro-markoshok v lechyenii i inschyenii shizofrenii i T. son, clektroshok i clektro-markoshok v lechyenii I rudy Miyevsk. Nauch. - issled. Nac. Turkst'onal'my rsikhichreskoy patologii. Grudy Miyevsk. Nauch. - issled. Nac. Turkst'onal'myk. XII, 1949, s. 175-82

C: Letopis' Zhurnal'mykh Statey, Vol. AL, hoskva, 1949



SLIVKO, Il'ya Mendelevich

SLIVKO, Il'ya Mendelevich, Academic degree of Doctor of Medical Sciences, based on his defense, 9 June 1955, in the Council of the Kiev Order of Labor Red Banner of the Med Inst imeni Bogomolets, of his dissertation entitled: "Shock treatment and its use in schizophrenia." For the Academic Degree of Doctor of Sciences.

SO: Byulleten' Ministerstva Vysshego Obrazovaniya SSSR, List No. 6, 17 March 1956, Decision of Higher Certification Commission Concerning Academic Degrees and Titles.

JFFS 512

SLIVKO, I.M.; SHCHERBINA, Ye.A.

Problems in psychiatry. Zhur. nevr. i psikh. 62 no.4:605-606 '62.

(PSCHIATRY)

DRZHEVETSKAYA, I.A.; SLIVKO, I.M.

Features of the hypoglycemic reaction in case of simultaneous use of insulin and gangliolytic preparations in some mental diseases. Zh. nevropat. psikhiat. Korsakov 63 no.3:436-439 163 (MIRA 17:1)

1. Kafedra patologicheskoy fiziologii (zav. - prof. N.N. Trankvilitati) i kafedra psikhiatrii ( zav. - prof. I.M.Slivko) Donetskogo meditsinskogo instituta.

SLIVKO, I.M.

Classification of the therapeutic effect in the treatment of mental diseases. Zhur, nevr. i psikh. 64 no.3:446-448

(MIRA 17:5)

1. Kafedra psikhiatrii (zaveduyushchiy - prof. I.M. Slivko) Donetskogo meditsinskogo instituta.

KAGAN, Yu.B., ROZOVSKIY, A.Ya., SLIN'KO, M.G., PONOMARENKO, A.T.


Study of the kinetics of catalytic reactions based on the conditions of ignition. Part 1: Zero-order reactions. Kin. (MIRA 17:12) 1 kat. 5 no.5:920-926 S-0 164.

1. Institut neftekhimicheskogo sinteza imeni Topchiyeva AN SSSR i Institut kataliza Sibirskogo otdeleniya AN SSSR.

NEDUMOVA, Ye.S.; BORESKOV, G.K.; SLIN'KO, M.G.

Kinetics of isotope exchange between hydrogen and water vapors over nickel catalysts. Part 2: Effect of pressure on the reaction rate in the range of internal diffusion. Kin. i kat. 6 no.2:360-363 Mr-Ap (MIRA 18:7)


l. Moskovskiy khimiko-tekhnologicheskiy institut imeni Mendeleyeva i Institut kataliza Sibirskogo otdeleniya AN SSSR.



SLIN'KO, M.G.

Results of the socialist competition in the plants and organizations under the State Committee of the Chemical Industry and the State Committee of the Petroleum and Petrochemical Industry for the first quarter of 1965. Khim.prom. 41 no.72548 Jl 265.


All-Union conference on the design, modeling and optimization of chemical reactors. Ibid.:548-549 (MIRA 18:8)



SLIVKO, M.M.

kharakteristika zhil'nykh karabonatov nagol'nogo kryazha. mineral. sbornik (l'vov), No. 3, 1949, S. 189-96-bibliogr: 10 nazv.

SO: Letopis' Zhurnal'nykh Statey, No. 49,1949



SLIVKO, M.M.; VYALOV, O.S., professor, redaktor; LAZARENKO, Ye.K., professor, redaktor; PORFIR'YEV, V.B., professor, redaktor; RESTOY, D.P., detsent, redaktor; SOBOLEV, V.S., professor, redaktor; MA-LYAVKO, A.V., tekhnicheskiy redaktor.

[Study of tourmaline in some deposits of the U.S.S.R.] Issledovanie turnalinev neketorykh mestepeshdenii SSSR, L'vov, Isd-ve L'vevskege universiteta, 1955. 124 p. (MIRA 9:5)

1.Deystwitelinyy chlen AN USSR (for Vyalev).2.Chlen-kerrespondent AN USSR (for Lazarenke, Perfir yev, Sebelev). (Teurmaline)

SLIVEO, M.M.

Teurmalinization in pegmatites. Min.sbor.ne.9:181-185 '55.
(MIRA 9:9)

1.L'vov. Gosudarstvennyy universitet imeni Ivana Franke.
(Pegmatites) (Tourmaline)

SL/VKO KOROBTSOVA, M.S.; LISA, N.S.; MARTYHOVA, S.S.; SLIVKO, M.M., otvetstvennyy red.

[Guide to the Mineralogical museum of Lvov State University]
Mineralogicheskii Muzei L'vovskogo Gosudarstvennogo Universiteta;
putevoditel'.[L'vov] Izd-vo L'vovskogo Universiteta, 1956. 111 p.
(MIRA 11:6)

1. Lvov. Universytet. Mineralogicheskiy muzey. (Lvov--Mineralogical museums)

SLIVKO, M.M.; PISHKIN, M.Yu.

Mineralogy of carbonaceous concretions from Jurassic deposits of Kara-Dag. Min.sbor. no.10:235-244 56. (MIRA 9:12)

1. Gosuniversitet imeni Ivana Franko, L'vov. (Kara-Dag, Mount--Concretions)

SLIVKO, M.N.

Possibilities of using thermal discoloration of minerals in mineralogical thermometry. Min. sbor. no.10:383-387 '56. (MLRA 9:12)

1. Gosuniversitet imeni Ivana Franko, L'vov. (Mineralogy, Determinative)

SLIVKO, M.M.

Change in the color of tourmalines and its geochemical significance. Min.sbor, no.11:81-88 57. (MIRA 13:2)

1. Gosuniversitet imeni Ivana Franko, L'vov. (Tourmaline)

LAZARENKO, Ye.K.; SLIVKO, M.M.

E.Burkat's monograph "Moravian minerals and the literature about them" [in Czech and German]. Min.sbor. no.11:379-381 '57. (MIRA 13:2)

1. Gosuniversitet imeni Ivana Franko, L'vov. (Moravia--Mineralogy) (Burkat, E.)

LAZARENKO, Ye.K. [Lezerenko, IE.K.], prof.; SLIVKO, M.M., dotsent, otv.red.; FURMAN, K.P., red.izd-va; MALYAVKO, A.V., tekhred.

[A course in mineralogy] Kurs mineralogii. Vyd-vo L'vivs'koho univ. Pt.1 [General mineralogy] Zahal'na mineralogiia. 1958. (MIRA 12:4)

1. L'vovskiy gosudarstvennyy universitet im. Ivana Franko.
(Mineralogy)

PROSHCHENKO, Ye.G.; SLIVKO, M.M. Red blende in the Mangazey deposit. Min. sbor. no.12:246-254

158.

1. Filial AN SSSR, Yakutek i Gosuniversitet imeni Iwana Franko, L'vov. (Mangazeyka Valley--Sphalerite)

APPROVED FOR RELEASE: 08/25/2000 CIA-RDP86-00513R001651320017-5"

IAZARENKO, Ye.K.; SLIVKO, M.M.

Celestites in the Dniester Valley. Min.sbor. no.12:363-379

158.

1. Gosuniversitet im. Ivana Franko, Livov.

(Dniester Valley—Celestite)

LAZARENKO, Yevgeniy Konstantinovich [Lazarenko, IE.K.], prof.;


SLIVKO, M.M., dotsent, otv.red.; FURMAN, K.P., red.;

MALTAVKO, A.V., tekhred.

[Gourse on mineralogy] Kurs mineralogii. L'viv. Vyd-vo
L'vivs'koho univ. Pt.2. [Description of minerals] Opys
mineraliv. 1959. 654 p.

1. L'vovskiy gosudarstvennyy universitet im. Ivena Franko
(for Lazarenko).

(Minerals--Classification)



LAZARENKO, Ye.K.; SLIVKO, M.M.

Mineralogical studies at Lvov University after 1939. Och. po ist.

geol. znan. no.8:104-126 159.

(Lvov University--Mineralogical research)

DANILOVICH, L.G.; SLIVKO, M.M.


Tournalinization in granites of the Kalba complex. Geol. i geofiz. no.11:13-23 '60. (MIPA 14:2)

l. Institut geologii poleznykh iskopayemykh AN USSR, L'vov.
(Altai Mountains—Tourmaline)
(Altai Mountains—Granite)

LAZARENKO, Ye.K.; SLIVKO, M.M.

"Materials on the mineralogy of the Ukraine" reviewed by E.K. Lazarenko, M.M. Slivko, Min.sbor. no.14:386-390 60. (MIRA 15:2)

1. Gosudarstvennyy universitet imeni Ivana Franko, Lºvov. (Ukraine-Mineralogy)



LAZARENKO, Ye.K.; YELISEYEV, E.N.; SLIVKO, M.M.

Academician N.V. Belov; on his 70th birthday. Min. sbor. no.15: 372-377 '61. (MIRA 15:6)

1. Gosudarstvennyy universitet, L'vov.
(Belov, Nikolai Vasil'evich, 1891-)

LAZARENKO, Ye.K.; SLIVKO, M.M.

"Accessory rare minerals and trace elements in the granites and pegmatites of the Ukrainian Crystalline Shield" by M.N. Ivantyshyn. Reviewed by IE.K. Lazarenko, M.M. Slivko. Min. sbor. no.15:395-400 (MIRA 15:6)

1. Gosudarstvennyy universitet imeni Ivana Franko, L'vov.

(Dnieper Valley-Metals rare and minor)

(Dnieper Valley-Trace elements)

LAZARENKO, E.K. [Lazarenko, IE.K.], prof.; SLIVKO, M.M., dots., otv. red.; FURMAN, K.P., red.; MALYAVKO, A.V., tekhn. red.

[Course on mineralogy] Kurs mineralogii. L'viv, Vyd-vo L'vivs'koho univ. Pt.3. [Mineralogy of rocks and mineral deposits] Mineralogiia hirskykh proid i mineral'nykh rodovyshch. 1961. 306 p. (MIRA 14:11)

1. L'vovskiy gosudarstvennyy universitet im. Ivana Franka (for Lazarenko). (Mineralogy)

SLIVKO, M.M.

Chemical composition and isomorphous replacements in tourmalines. Min. sbor. no.16:113-129 '62. (MIRA 16:10)

1. Gosudarstvennyy universitet imeni Ivana Franko, Llvov. (Tourmaline)